


BIXOLON®

CUPS Ethernet Setting


Rev. 1.00




<http://www.bixolon.com>

Rev. 1.00


1. Goto **http://localhost:631/admin** or **http://127.0.0.1:631/admin** using your favorite web browser this will shows the following screen. Click **Add Printer** Button to add a new printer that will show the following screen.



2. Select Internet Printing Protocol then click the Continue Button this will show the following screen.



3. Type the printer IP address and port number this will show the following screen.



4. Type Printer name, Description and Location then click Continue button this will show the following screen.

Add Printer

Name:
(May contain any printable characters except "/", "#", and space)

Description:
(Human-readable description such as "HP LaserJet with Duplexer")

Location:
(Human-readable location such as "Lab 1")


Connection: socket://192.168.100.195:9100

Sharing: Share This Printer


CUPS and the CUPS logo are trademarks of Apple Inc. CUPS is copyright 2007-2009 Apple Inc. All rights reserved.

Done


5. Show the list of all available Printer Manufacturer Information. In that you have to select **Bixolon** then click the **Continue** Button this will show the following screen.



6. Show the list of all available **Bixelon Printer Drivers** installed in your system. In that you have to select the right driver for your printer then click the **Add Printer** Button this will show the following screen.



7. Modify the printer options and then click the **Set Default Options** Button this will apply the changes to the printer.



8. Show the following screen if you successfully install your printer.

