| BIXOLON | [®] Declaration of Conformity |
|---------------------------------|--|
| Type of equipment: | Thermal Label Printer |
| Brand Name /Trade Mark: | BIXOLON |
| Type designation /model: | XD5-40tR, XD5-43tR |
| Manufacturer: | BIXOLON CO., LTD. (Address: 20, Pangyoyeok-ro, 241beon-gil, Bundang-gu, Seongnam-si, Gyeonggi-do, 13494, Republic of Korea |
| In accordance with the followin | g Directives: |
| 2014/53/EU 2015/863/EU | Radio Equipment Directive (RED) RoHS Directive 2011/65/EU Annex II and its amendment (EU) 2015/863 on the restriction of hazardous substances in electrical and electronic equipment |
| The following harmonized Euro | pean standards and technical specifications have been applied: |

| EN 55032:2015+AC:2016-07 | Electromagnetic compatibility of multimedia equipment – Emission Requirements |
|------------------------------|---|
| EN 55035:2017 | Electromagnetic compatibility of multimedia equipment – Immunity Requirements |
| EN IEC 61000-3-2:2019 | Limits for harmonic current emissions (equipment input current up to and including 16 A per phase) |
| EN 61000-3-3:2013+A1:2019 | Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current <= 16 A per phase and not subject to conditional connection |
| EN 301 489-1 V2.2.3 | Electromagnetic compatibility and Radio spectrum Matters (ERM); Electro Magnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements |
| EN 301 489-17 V3.2.4 | Electromagnetic compatibility and Radio spectrum Matters (ERM); Electro Magnetic Compatibility (EMC) standard for radio equipment; Part 17: Specific conditions for Broadband Data Transmission Systems |
| EN 301 489-3 V2.1.1 | Electro Magnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; |
| EN 302 208 V3.1.1 | Radio Frequency Identification Equipment operating in the band 865 MHz to 868 MHz with power levels up to 2 W and in the band 915 MHz to 921 MHz with power levels up to 4 W; |
| EN 300 328 V2.2.2 | Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz ISM band and using wide band modulation techniques; |
| EN 301 893 V2.1.1 | 5 GHz RLAN; |
| EN 300 440 V2.1.1 | Short Range Devices (SRD);Radio equipment to be used in the 1 GHz to 40 GHz frequency range; |
| EN IEC 62368-1:2020+A11:2020 | Audio/video, information and communication technology equipment Part 1: Safety requirements |
| EN IEC 63000:2018 | Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances |

Test report issued by EMC: CTK Co., Ltd. / Safety: UL Korea, Ltd. / RF: CTK Co., Ltd., HCT Co., Ltd.

This declaration of conformity is issued under the sole responsibility of the manufacturer.

The CE Marking on the products and/or their packaging signifies that BIXOLON Co., Ltd. holds the reference technical file available to the European Union authorities.

DoC No.:

BXLDoC-22-0021

Place and date of issue:

Authorized Signatory:

20, Pangyoyeok-ro 241beon-gil, Bundang-gu, Seongnam-si, Gyeonggi-do, 13494, Republic of Korea / 2022-05-18 20, Pangye, Republic of Korea / 2022-00-10 Name: Hyounchall Roh (Title: CEO) Signature: BIXOLON CO., LTD.